



Refreshing gel emulsion, which offers a smooth and even application. It nourishes the skin and gives immediately "bonne mine".

Key ingredients:

- **Nordic Beauty Peat** is a fully natural product rich in humic and fulvic acids, bio-minerals, trace elements bioavailable to the human skin.
- **Fiflow® SC** is not water soluble, nor oil soluble liquid. It is a gas carrier, which allows artificial breathing of the skin. It enriches the oxygen level of the skin and acts as anti-age agent.
- **Creagel® EZ 7** is cold process gel emulsifier and together with Nordic Beauty Peat, it brings freshness to the formulation.

Ingredients	INCI Name	Qty %	Function
Hydrasoft® Moist JP	Glyceryl Polymethacrylate (and) Butylene Glycol	8,80	Fresh and soft touch, thickener, Natural humectant
Biomethics® O/W	Solanum Tuberosum (Potato) Starch (and) Water (and) Limnanthes Alba (Meadowfoam) Seed Oil (and) Sucrose Stearate (and)	4,50	Emulsifier
	A Hydrogenated Lecithin (and) Xanthan Gum (and) Chlorphenesin		
	Water	36,10	
	Chlorphenesin	0,20	
	Disodium EDTA	0,20	
Creanatural® Vegetable Squalane	Squalane	2,20	Nourishing, Prevents dehydration
Creabase® MSO	B Limnanthes Alba (Meadowfoam) Seed Oil (and) Cera Alba (and) Hydrogenated Meadowfoam Seed Oil	2,60	Butter
		Limnanthes Alba (Meadowfoam) Seed Oil	
	Tocopheryl Acetate	0,30	
Nordic Beauty Peat	Peat (and) Phenoxyethanol	20,00	Firming, moisturizing, Activates microcirculation
Creagel® EZ 7 Novatext® AQ	C Polyacrylamide (and) Hydrogenated Polydecene (and) Laureth-7 Hydroxy propyltrimonium maltodextrin Crosspolymer (and) Polymethylsilsesquioxane (and) Water (and) Isododecane (and) Glycerin (and) Phenoxyethanol	2,60	Auto-emulsifier, viscosity builder Soft touch, texture modifier
		8,00	
Fiflow® SC	D Perfluorohexane (and) Perfluorodecalin (and)	10,00	Anti-age, gas carrier
	Perfluoroperhydrophenanthrene (and) Perfluorodimethylcyclohexane		

Procedure: Heat A and B separately to 75°C and mix until homogeneous. Add B to A under strong stirring and homogenize 5 min at 6000-10000 rpm. Cool down to room temperature and add C, and homogenize 2 min at 2000 rpm. Add D and homogenize 2 min at 2000 rpm.

Important! **Nordic Beauty Peat** is rich in humic acid, and hence naturally acid. If the pH value is increased more than 1,5 units, the efficiency of humic acid is inhibited. **Novatext® AQ** can not be heated. Make sure **Fiflow®** products are always cooled down before adding in the formulation. Store **Fiflows®** in cold. Use always airless packaging.