



## WFE® Eye Treatment

Silky and soft application with high moisturising and skin smoothing capabilities. Completely waterfree formulation improves the water resistancy although it has a light silky skin feel. Fiflow® is a gas carrier offering instant wrinkle reduction. Creaspheres® SIL and DIM have light diffusing properties and they provides soft focus effect as well as smooth appearance on the skin. Dedraflow® 5 is a volatile, hypoallegenic emollient and it can be used as replacement to Cyclomethicone. Hectone® is an ideal base for anhydrous formulations. Creagel® Crystal improves the rheological properties of the waterfree formulation. Creanatural® LAB and Meadowfoam Seed Oil provide softness and skin care benefits of non-oxidizing, photostable natural oils.

Ingredients	INCI Name	Qty%	Supplier
<b>Phase A</b>			
<b>Creabase® MSO</b>	Limnanthes Alba (Meadowfoam) Seed Oil (and) Cera Alba (and) Hydrogenated Meadowfoam Seed Oil	5,00	1)
<b>Creanatural® LAB</b>	Butyrospermum Parkii (Shea Butter) Extract (and) Limnanthes Alba (Meadowfoam) Seed Oil	3,00	1)
<b>Creabase® NTL 80</b>	Hydrogenated Polydecene (and) Polyethylene (and) Isohexadecane	7,00	1)
<b>Creagel® Crystal LA</b>	Isododecane (and) Limnanthes Alba (Meadowfoam) Seed Oil (and) Ethylene/Propylene Copolymer	20,00	1)
<b>Dedraflow® 5</b>	Hydrogenated Polyisobutene	21,00	1)
<b>Phase B</b>			
<b>Hectone® DF</b>	Hydrogenated Polyisobutene (and) Distearidimonium Hectorite (and) Propylene Carbonate	25,80	1)
<b>Creaspheres® DIM WL 4</b>	Polymethylsilsesquioxane	3,00	1)
<b>Creaspheres® SIL WL 3</b>	Silica	9,00	1)
	Tocopheryl Acetate	1,00	
<b>Phase C</b>			
<b>Fiflow® BTX</b>	Perfluorohexane (and) Perfluoroperhydrophenanthrene (and) Perfluorodecalin (and) Perfluorodimethylcyclohexane	5,00	1)
	Perfume	0,20	

### Procedure:

1. Heat up phase A into temperature of 80-85°C and keep under agitation until homogeneous.
2. Let cool down to temperature below 35°C.
- 3 Add phase B into phase A and keep under agitation (400-800rpm) until homogeneous.
4. Homogenize (6000rpm) the mixture (A+B) for 5 minutes.
5. Add phase C and homogenize (1000rpm) for 1 minute.

### Suppliers:

- 1) CIT SARL