



PFI4273UV
04/06/19

Ready To Rocket To The Stars Anti-Âge SPF 1000

Description:

Ready To Rocket To The Stars Anti-âge SPF 1000 is an anhydrous sun care product especially designed for mature skin. It provides, an incredible soft focus effect that will instantly blur imperfections, and high sun protection that lasts all day long.

Key ingredients:

- Creagel® Crystal 10 ISO 16128 is an anhydrous gel based on a mixture of synthetic and natural thickened lipids. It is a transparent viscosity modifier and film former. It forms a pseudoplastic film on the skin, which leaves a silky and smooth after feel.
- Novatext® UV ISO 16128 is a SVHC-free silicone substitute that provides an incredible soft focus effect. It is ideal for sun care formulations as it is photostable and contains UV-filter.
- Creasperse® UVA is a ready-to-use predispersed UV-filter with high water resistance and soft skin feel, without tackiness.

Ingredient	Phase	INCI Name	Qty%	Function
Creagel® Crystal 10 ISO 16128	A	Hydrogenated Vegetable Oil (and) Ethylene/Propylene Copolymer	32,80%	Film former, Rheology modifier
Novatext® UV ISO 16128		Hydrogenated Vegetable Oil (and) Silica (and) Titanium Dioxide	15,00%	Emulsion stabilizer, Prevents sedimentation, Rheology modifier
Hectone® HVO		Hydrogenated Vegetable Oil (and) Distearidimonium Hectorite (and) Propylene Carbonate	10,00%	Texturizer, Soft focus agent, UV-filter
Dedraflow® 8 Luxe		Hydrogenated Polyisobutene (and) Hydrogenated Vegetable Oil	7,00%	Rheology modifier, Prevents sedimentation, SPF booster
Creasperse® Broad UVB AF 65	B	Titanium Dioxide (and) Hydrogenated Polydecene (and) Polyhydroxystearic Acid (and) Alumina (and) Dimethicone	21,00%	Photostable emollient
Creasperse® UVA		Titanium Dioxide (and) Hydrogenated Polydecene (and) Triethoxycaprylsilane (and) Polyhydroxystearic Acid (and) Alumina	14,20%	UV-filter

ISO 24443 *In Vitro* measurements: SPF: 1000 UVA ratio: 28,3 UVA-PF: 35,33 Critical wavelength: 373 UVA Pass: UVA Pass
not validated

Procedure:

Weigh raw materials of phase A and put under stirring until homogenization.
When phase A is homogeneous, add raw materials of phase B.
Let under stirring until homogenization.
Then, homogenize at 4000 rpm during few minutes.

Natural Content : 0
Natural Origin Content : 85,43

Organic Content : 0
Organic Origin Content : 0

Important:

Novatext® UV ISO 16128 should not be heated.
Hectone® HVO should be homogenized before use.
Dedraflow® 8 Luxe should not be heated.
Creasperse® Broad UVB AF 65 should be homogenized before use.
Creasperse® UVA should be homogenized before use.