



Bouncy Blush Pink

Blush formulation with new bouncy cushion texture. Creaspheres® EL texturing agent provides cushion like softness in the application. Talcopoly® is pharm grade talk. Creaspheres® SIL give light diffusion and long lasting mattness as well as silky skin feel. BNPoly® UV Crystals boost the UV protection of the formulation and create ceramic effect upon application. Creasil® 11 ID is a film former that provides invisible long lasting film upon application. Dedraflow® 5 is a hypoallergenic and volatile emollient with similar skin feel and volatility profile as Cyclomethicone. Alphaflow® is hypoallergenic emollient which also works as binder for powder formulations. Novatext® products reduce any tackiness in the formulation and brings smooth application with matte finish. Creasperse® colour dispersions are easy to use and allow an even colour development. Fiflow® is an anti-age active giving instant visual results. Fiflow® reduces the appearance of fine lines as it works as a muscle relaxant and wrinkle filler.

Ingredients	INCI Name	Qty%	Supplier
Phase A			
Creaspheres® SIL WL9	Silica	9,80	1)
Creaspheres® EL WL7	Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer (and) Polymethylsilsesquioxane	7,65	1)
Talcopoly® WL4	Talc	7,65	1)
BNPoly® UV Crystal TR 14	Boron Nitride (and) Titanium Dioxide (and) Dimethicone (and) Isododecane (and) Ethylene/VA Copolymer	14,25	1)
Phase B			
Creasil® 11ID	Isododecane (and) Dimethicone (and) Polyethacrylate	6,40	1)
Creasil® ID CG	Isododecane	2,35	1)
Novatext® Velvet	Hydrogenated Polyisobutene (and) Polymethylsilsesquioxane (and) Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer (and) Ethylene/Propylene Copolymer	5,85	1)
Alphaflow® 20	Hydrogenated Polydecene	0,75	1)
Alphaflow® 50	Hydrogenated Polydecene	2,30	1)
Dedraflow® 325	Hydrogenated Polyisobutene (and) Dimethicone	6,35	1)
Dedraflow® 5	Hydrogenated Polyisobutene	7,90	1)
Hectone® DF	Hydrogenated Polyisobutene (and) Disteardimonium Hectorite (and) Propylene Carbonate	4,80	1)
Creasperse® Geranium	Red 7 Lake (and) Hydrogenated Polydecene (and) Hydroxystearic Acid	1,30	1)
Creasperse® Yellow	Iron Oxides (and) Hydrogenated Polydecene (and) Hydroxystearic Acid	3,50	1)
Creasperse® TR 14 AF 65	Titanium Dioxide (and) Hydrogenated Polydecene (and) Triethoxycaprylsilane (and) Hydroxystearic Acid	16,35	1)
Phase C			
Fiflow® SC	Perfluorohexane (and) Perfluorodecalin (and) Perfluoroperhydrophenanthrene (and) Perfluorodimethylcyclohexane	2,80	1)

Procedure:

1. Keep phase A under agitation until homogeneous. No heating necessary.
2. Keep phase B under agitation until homogeneous.
3. Add phase B into phase A and keep under agitation until homogeneous.
4. Add phase C into the mixture (A+B) and keep under agitation until homogeneous.

Suppliers:

- 1) CIT SARL